Tutorial to fool Polymath

In this tutorial, we will generate a figure of the equilibrium conversion (X_e and X_{EB}) as a function of temperature for Example 11-4 (*Calculating the Adiabatic Equilibrium temperature*)

The equations are

$$\begin{split} K_e &= K_{e2} \exp\left[\frac{\Delta H_{Rx}}{R} \left(\frac{1}{T2} - \frac{1}{T}\right)\right] \\ X_e &= \frac{K_e}{1 + K_e} \\ X_{EB} &= \left(C_{P_A} + \theta_I C_{P_I}\right) \left(T - T_0\right) \end{split}$$

Where,

 $K_{e2} = 75,000 \text{ at } T_2 = 298 \text{ K}$ $\Delta H_{RX} = -14,000 \text{ cal/mol}, \ \theta_I = 1$ $C_{P_A} = 25 \frac{\text{cal}}{\text{mol.K}}, \ C_{P_I} = 50 \frac{\text{cal}}{\text{mol.K}}$

To get equilibrium conversion at different temperature, we need to vary temperature in the above equations. We do this by "*fooling*" Polymath by using a dummy independent variable t i.e.

$$\frac{dT}{dt} = 1$$

Now, you can vary temperature by varying the value of t.Let's plot X_e and X_{EB} for temperature ranging from 300 K to 800 K. So initial value of T is

T(0)=300 K

For the final value of T=800 K, the integration time span will vary from

 $t_{initial} = 0$ and $t_{final} = 500$

Now, the above problem becomes an ordinary differential equation which can be easily solved using Polymath. Next we change variables in plotting program to make T as the independent variable and X_e and X_{EB} as the dependent variables to obtain the desired graph

Step 1: Now open the polymath software. If you don't have it, then refer to the installation instruction available at <u>http://www.umich.edu/~elements/5e/software/polymath.html</u>

You will see the following window when you open the polymath

🍓 Poly	MATH 6.1	0 Educa	ational R	elease									23	1
File Pr	ogram \	Window	Help											
🗅 🧭 (🗲 🔒	አ 🖻	1	M	а _ь	[]		×	!	#	?			
3:14 PM	3/25/20	17 CAP	S NUM										//	

Step 2: Here, we need to use Differential equation solver, so click on the "Program" tab present on the toolbar and select DEQ Differential Equations. You can also refer to step-by-step Polymath tutorial for solving DEQ present at <u>http://www.umich.edu/~elements/5e/software/polymath.html</u>

O POLY	MATH 6.10 Educational Release		
File Pro	ogram Window Help		
	LEQ Linear Equations NLE Nonlinear Equations	2000 🖬 🥕 🧏 🚟 📍	
<	DEQ Differential Equations		
	REG Regression		
3:17 PM	3/25/2017 CAPS NUM		

Step 3: To enter the differential equations, press the " $\mathbf{d}(\mathbf{x})_+$ " button present on the menu bar (shown by red circle in the below screenshot). This will bring up a dialogue box in which you can enter your differential equation. You will also need to specify an initial value for the differential variable. Enter the differential equation for T and click "Done" button

🧑 POLYMATH 6.10 Educational Release - [Ordinary Differential Equations Solver]		23
File Program E Differential Equations Solver: Enter Differential Equation		Б×
Enter the differential equation:	_	E
Differential Equations: 0 $d(\underline{t}) = \begin{bmatrix} 1 \\ 1 \\ 1 \end{bmatrix}$		F.
Set the initial value:		
T(0) = 300		
Comment:		
Clear One Cance		Þ
3:22 PM 3/25/2017 CAPS NUM	-	1.

Step 4: You will find that your differential equation is entered in the main window. Now press " \mathbf{x}_{+} " button to enter all the explicit equation and parameter values. Enter the expression for Kc and click "Done" as shown below

🧐 POLYMATH 6.10 Educational Release - [Ordinary Differential Equations Solver]
📧 File Program Edit Format Problem Examples Window Help
D 🚅 🗳 🖬 👗 📭 🛍 🖉 🛤 🐍 🛛 🖾 🖾 📾 📖 🏳 ! 🚟 🎗
dq → ni- 1 ≥ → RKF45 ▼ □ Iable □ Graph ▼ Report
Differential Equations: 1 Audiana Equations: 0 V Initial and/or final values of the independent differential variable not set. d(T) / d(t) = 1 T(0) = 300 Enter the explicit equation: Kc = Kc2*EXP((dH/R)*((1/T2)-(1/T))) Comment: Qiear Qone Cancel
Ln 3 No File No Title
4:10 PM 3/25/2017 CAPS NUM

Step 5: Similarly enter all other explicit equations and parameter values in the window



Step 6: You have now entered both the differential equations and the explicit equation. Now you need to set the time span for which you want to perform the integration. To specify the initial and final values of t, click the "**ini-finl**" button present on the menu bar. A dialogue box will appear again. Enter the initial and final value of t in the space provided. In this case t initial =0 and t final=500 and then press Ok

🧐 POLYMATH 6.10 Educational Release - [Ordinary Differential Equations Solver]
🖬 File Program Edit Format Problem Examples Window Help
D 🚅 🕼 🖬 🖏 🛍 🖉 🚧 ち 🖾 🖾 🖾 🖾 🖾 💭 🔛 🖾 🎾 ! 🚟 💡
dig × to the independent differential uniable not and and the independent differential uniable not an
Differencial Equations: 1 Auxiliary Equations: 11 A Initial and/or linal values or the independent differencial valiable not set
d(1) / d(t) = 1 Image: Constant of the second s
XEB=(CpA+thetal*CPI)*(T-To)/(-dH) Ln 13 No File 4:11 PM 3/25/2017

Step 7: When all of the necessary information has been specified, the screen will look like this. Check the box corresponding to graph option to generate the graph in addition to report. Next click on the pink arrow \Rightarrow to have Polymath perform the integration.

E File Program Edit Format Problem Examples Window Help	- 6 >
D 🕫 🕼 🖳 🛝 🐚 🕲 🖉 🛤 🖉 🖉 🖉 🖉 🖉 🖉 🗡 ! 🎯	19
44 × Table Graph & Beport	
Differential Equations: 1 Auxiliary Equations: 11 V Ready for solution	
	Î
Kc2 = 75000 dH = -14000 T2 = 298	
CnA=25	E
CpA=25 thetai=1 CPI=50 To=480	F
CpA=25 thetal=1 CPI=50 To=480 Xe=Kc/(1+Kc) XEB=(CpA+thetal*CPI)*(T-To)/(-dH) *(0) = 0	E
CpA=25 thetal=1 CPI=50 To=480 Xe=Kc/(1+Kc) XEB=(CpA+thetal*CPI)*(T-To)/(-dH) t(0) = 0 t(f) = 500	E.

Step 8: The following report will be generated which gives initial and final values of every variable present, the minimum and maximum values of the variables in the given interval, and the equations you entered. Click on "X" to close the report and obtain graph

) F	ile Edit	Window Hel	p			- t
2	ê 💕 🖬	አ 🖻 📽	0 A L E		3 / 1 8	2 9
PO	YMATH	Report				
Ord	nary Differe	ntial Equations				25-Mar-2017
-		about of Dro				
Lai	Variable	Initial value	Minimal value	Maximal value	Final value	
1	СрА	25.	25.	25.	25.	
2	CPI	50.	50.	50.	50.	
3	dH	-1.4E+04	-1.4E+04	-1.4E+04	-1.4E+04	
4	Kc	6.406E+04	0.0270214	6.406E+04	0.0270214	
5	Kc2	7.5E+04	7.5E+04	7.5E+04	7.5E+04	
6	R	1.987	1.987	1.987	1.987	
7	t	0	0	500.	500.	
8	т	300.	300.	800.	800.	
9	T2	298.	298.	298.	298.	
10	thetaI	1.	1.	1.	1.	
11	То	480.	480.	480.	480.	
12	Xe	0.9999844	0.0263105	0.9999844	0.0263105	
13	XEB	-0.9642857	-0.9642857	1.714286	1.714286	
o Fil	e	POLYMATH R	eport			

Step 9: The following graph will be generated. By default, polymath plots all dependent variable on Y axis and independent variable on X axis. In this case, dependent variable is T and independent variable is t. To select the variable you want to plot, double click on the graph or click on graph button present on left panel (shown below). This will open up a dialogue box.



Step 10: You can now select independent variable from drop- down menu and dependent variable by checking/unchecking the boxes next to the variable name. In this case, you want to plot X and XEB as a function of Temperature. So select independent variable as T. Check the boxes corresponding to Xe and XEB and uncheck the box for T. After you are done, hit Close button



Step 11: Now your graph will change as shown. The axis mark up and scaling is not very convenient to read. So let's edit graph properties. Right click on graph and select "Format" or click on brush button present on the left panel.



Step 12: This will open up a dialogue box where you can edit graph properties. Click on "Titles" tab to add title to the graph. Enter the title as "Xe and XEB as a function of T"

🧑 POLYMATH 6.10 Educational Release - [ODE Results Graph, Soluti 💻 💻 🗴
File Options Help
Image: Properties
12:56 PM 4/2/2017 CAPS NUM

Step 13: Now, Click on "X, Y" axis tab to change the decimal point of axis numbers. From the drop down menu, select 0 for X Axis and 0.0 for Y axis

) Fil	e Options Help
	Graph Properties Curves Titles X,Y axis Fonts Scale & Margins Label Format X Axis 0 Y Axis 0 Y Axis 0 Coo Axis Ticks 0.00 Coo 0.00000 0.0000 0.00000 0.0000 0.00000 0.0000 0.00
	-1.0 300 350 400 450 500 550 600 650 700 750 800

Step 14: Next, click on "Scale and Margins" tab to change the axis range. Under Y header, enter the value of Max=1 and Min=0. This defines the range of Y axis. Now click "Apply" Button

Graph Properties	110-00	
Curves Titles X,Y axis Fonts Converse X,Y axis Fonts F	ale & Margins	Close
Min 300 0	<u>R</u> estore	
Margins Left 1000 Top 680 Right 1100 Bottom 720		

Step 15: After you are done, press Close button. You will see that graph properties have changed as desired. The following graph shows Xe and XEB as a function of Temperature. You can now find the intersection of Xe and XEB to determine adiabatic equilibrium temperature



Step 16: Now let's obtain the graph of Xe and XEB for different inlet temperature. Let's evaluate at To=380 K. Close the above graph by clicking on X to go back to **Step 7**. Now change the value of To from 480 to 380 as shown below. Click on pink arrow to run the program

C POLYMATH 6.10 Educational Release - [Ordinary Differential Equat	- O X
Eile Program Edit Format Problem Examples Window H	elp _ & ×
🗅 🚰 🖆	! 🚟 💡
deg × int 1 x → RKF45 - Iable 🗸 Graph 🗸	<u>R</u> eport
Differential Equations: 1 Auxiliary Equations: 11 V Ready for solution	
	E
	+
Ln 11 fooling polymath.pol No Title	
1:10 PM 4/2/2017 CAPS NUM	//

Step 17: You should obtain following report.

PC	OLYMATH 6	.10 Educational	Release - [Differe	ential Equations Sc	olu 💷 😐	X
🥹 F	ile Edit	Window Hel	p			- 8
<u>)</u> 🛛	ê 🖻 🖬	አ 🖻 🛍	0 🚧 占 🛛	2 📧 💷 🖬	a 🎢 ! i	# ?
PO	LYMATH	Report			No	Title
Ord	inary Differe	ntial Equations			02-Apr-2	2017
Cal	culated v	alues of DEQ	variables			
	Variable	Initial value	Minimal value	Maximal value	Final value	
1	СрА	25.	25.	25.	25.	
2	CPI	50.	50.	50.	50.	
3	dH	-1.4E+04	-1.4E+04	-1.4E+04	-1.4E+04	
4	Кс	6.406E+04	0.0270214	6.406E+04	0.0270214	
5	Kc2	7.5E+04	7.5E+04	7.5E+04	7.5E+04	
6	R	1.987	1.987	1.987	1.987	
7	t	0	0	500.	500.	
8	т	300.	300.	800.	800.	
9	T2	298.	298.	298.	298.	
10	thetaI	1.	1.	1.	1.	
11	То	380.	380.	380.	380.	
12	Xe	0.9999844	0.0263105	0.9999844	0.0263105	
13	XEB	-0.4285714	-0.4285714	2.25	2.25	
No Fil	e	POLYMATH R	eport			
:12 F	M 4/2/20	17 CAPS NU	M			

Step 18: Close the report to obtain graph. Repeat Step 9-15 to obtain below graph for To=380 K

