

SMTP and IMAP Configuration for Exchange 2007


In February 2008, exchange.umich.edu will be changed from running on Exchange 2003 Front End Servers to Exchange 2007 Client Access Servers. The following document explains the changes that will take place for SMTP and IMAP clients using the ITCS Exchange Service.

Depending on the IMAP client used, the procedures may be slightly different, but the concepts are the same. IMAP clients typically have a configuration section for the following:

- Outgoing Mail (SMTP)
- Incoming mail (IMAP)

Outgoing Mail Settings


IMPORTANT: If your Outgoing mail (SMTP) is set to **exchange.umich.edu**, you **WILL** need to make changes or you will not be able to send mail. If your Outgoing mail (SMTP) is set to anything else such as **smtp.mail.umich.edu**, you do not need to make any changes.




SMTP and IMAP Configuration for Exchange 2007

Configuring Outgoing mail (SMTP) to use Exchange

1. Change Outgoing Mail (SMTP) setting to **smtp-exchange.umich.edu**
2. Check the box for **Outgoing Mail Server requires authentication**
3. Click on the **Settings...** button




4. Select **Use the same settings as my incoming mail server**
Click **OK**



SMTP and IMAP Configuration for Exchange 2007

5. Go to the **Advanced** tab and set the **Outgoing mail (SMTP)** port to **587**.
Select **This server requires a secure connection (SSL)**



Incoming Mail Settings (IMAP)


Incoming Mail that is set to **exchange.umich.edu** will continue to work, although new clients should be set up to use the following new names respectively for IMAP clients.

- `imap-exchange.umich.edu`

Configuring Incoming mail (IMAP) to use Exchange

1. Change **Incoming Mail (IMAP)** setting to **imap-exchange.umich.edu**

SMTP and IMAP Configuration for Exchange 2007



2. Go to the **Advanced** tab and set the **Incoming Mail (IMAP)** port to **993**.
Select **This server requires a secure connection (SSL)**
Click **OK**.

